

Module 3: Understanding Co-Occurring Disorders, Intimate Partner Violence & Trauma

Child Welfare Training Toolkit



National Center on
Substance Abuse
and Child Welfare

Acknowledgement

This content is supported by contract number 75S20422C00001 from the Children's Bureau (CB), Administration for Children and Families (ACF), co-funded by the Substance Abuse and Mental Health Services Administration (SAMHSA). The views, opinions, and content of this presentation are those of the presenters and do not necessarily reflect the views, opinions, or policies of ACF, SAMHSA or the U.S. Department of Health and Human Services (HHS).



National Center on
Substance Abuse
and Child Welfare

Learning Objectives

After completing this training,
child welfare workers will:

- Discuss mental health as a spectrum with key language paradigm shifts to further reduce stigma
- Identify the prevalence and common types of co-occurring disorders along with associated symptoms
- Recognize the three models of care management for co-occurring substance use and mental disorders
- Acquire knowledge about intimate partner violence and the intersections of co-occurring disorders including prevalence, power and control dynamics, interagency response efforts, and best practice screening tools
- Differentiate between intimate partner violence and the co-occurrence of intimate partner violence and child maltreatment, including key considerations when assessing safety and risk
- Acquire knowledge and strategies for increasing safety and protective capacities for families experiencing violence
- Understand the cumulative effects of trauma and the importance of providing trauma-informed care



Mental Disorders



Mental Health Spectrum



Healthy

Coping

Struggling

Unwell

Which Term Should I Use?



Mental
Health

Behavioral
Health

Mental
Health
Condition

Behavioral
Health
Condition

Mental
Health
Disorder

Behavioral
Health
Disorder

Mental
Disorder

Behavioral
Disorder

Creating a Shared Language and Understanding of Substance Use & Mental Disorders

Large Group Discussion

The Negative Effects of Stigma on Treatment & Recovery Outcomes




Language Paradigm Shift

Medical vs. Recovery Model

Person-First vs. Identity-First

Prevalence of Co-Occurring Disorders



Common Types of Co-Occurring Mental Disorders

Mood

Anxiety

Psychotic

Personality

Coordinated

Co-Located

Integrated

Three Models of Care Management for Co-Occurring Disorders

Mental Scategories

Small Group Activity



Intimate Partner Violence & the Intersection with Co-Occurring Disorders


Domestic Violence or Intimate Partner Violence— What's the Difference?

Definitions & Parameters

Other Qualifying Indicators

Types of IPV

Rates of Prevalence



Understanding IPV Dynamics

Identifying Behavioral Indicators of IPV

Small Group Activity

Understanding Substance Use Coercion and Intimate Partner Violence

26%

used substances as a coping mechanism for IPV dynamics

27% were forced or pressured to use substances or use more than they wanted to

24.4%

noted being afraid to seek help due to fear of reported consequences


24.4%

37.5% received threats that their substance use would be reported to employers, LEA, or CPS

15.2% acknowledged trying to seek treatment but

60% were prevented or discouraged

Child Welfare Involvement as a Power and Control Tactic



Escalating violence and coercive behavior

Withholding finances or jeopardizing employment status

Threatening deportation or interfering with immigration status

Making false reports to child abuse hotlines

Filing false police reports or restraining orders



IPV & Child
Maltreatment:
Understanding
the Complexities
of Mandated
Reporting Laws

IPV Interagency Response Efforts



Local Protocols Guiding Practice with Children, Parents, and Families Experiencing Violence

Large Group Discussion

IPV Screening Tools



ABUSE ASSESSMENT
SCREEN (AAS)

HUMILIATION, AFRAID,
RAPE, and KICK (HARK)

ONGOING VIOLENCE
ASSESSMENT TOOL
(OVAT)

PARTNER VIOLENCE
SCREEN (PVS)

DANGER ASSESSMENT 5
(DA-5)

WOMAN ABUSE
SCREENING TOOL (WAST)



IPV Exposure & Child Welfare Intervention

Key Considerations When Assessing Safety & Risk

Nature & Severity of IPV Dynamics

Family History of IPV Dynamics

**Level of Perceived Safety During &
Following the IPV Dynamics**

Level of Parental Protective Capacities

Assessing for Level of Risk Specific to IPV Exposure

Large Group Discussion

Questions to Consider When Assessing for Level of Risk



Has the violence and coercive behavior occurred before? Or escalated over time?



Does the parent/caregiver using violence and coercive behavior prevent the other parent/caregiver from meeting their child's needs?

For example, does the parent/caregiver using violence prevent the child from attending school or doctor's appointments?



Does the parent/caregiver *using* violence and coercive behavior also struggle with substance use or co-occurring mental health conditions?

If yes, how may this be precipitating or exacerbating the level of violence? And how may this be affecting their child's safety and well-being?



Does the parent/caregiver *experiencing* violence and coercive behavior also struggle with substance use or co-occurring mental health conditions?

If yes, how may this be affecting their child's safety and well-being?



Has the child expressed fear of being harmed by the parent/caregiver using violence and coercive behavior? Or expressed fear that their other parent/caregiver may be seriously harmed?

Additional Questions to Consider...



Has the child ever been injured as a result of the parent/caregiver's use of violence and coercive behavior? Or has the child ever intervened to deescalate or protect their parent?



Has the parent/caregiver using violence and coercive behavior ever threatened to harm the child?



Has the child shown any signs of concerning behavior in response to the parent/caregiver's use of violence and coercive behavior?

For example, has the child used violence toward other children or siblings?



Does the parent/caregiver using violence and coercive behavior have access to firearms or other weapons?

If yes, have they used or threatened to use them to cause harm to the other parent/caregiver, child, or family pets?




Has the parent/caregiver using violence and coercive behavior ever threatened to kill the other parent/caregiver? Or threatened to kill the children?



Has the parent/caregiver using violence and coercive behavior ever threatened to commit suicide?

Developmental Considerations When Assessing for Level of Risk



Increasing Safety and Protective Capacities for Families Experiencing Violence

Increased
Accountability for
the Person Using
Violence




Collaborative
Engagement of the
Person Experiencing
Violence



Empowerment-
Based Safety
Planning for the
Family



The Five Interrelated Protective Factors for Families Experiencing Violence



Strategies to Promote Protective Factors for Families Experiencing Violence

Small Group Activity

Evidence-Based Interventions for Families Experiencing Violence

Child Development-Community Policing Program

Child-Parent Psychotherapy


Structured Psychotherapy for Adolescents
Responding to Chronic Stress

Trauma-Focused Cognitive Behavioral Therapy



Working Within the Intersections of Trauma

What Is Trauma?



Trauma-Informed Care Elevator Speech

Activity Pair Share



Consequences of Systems Not Delivering Trauma-Informed Care

Inadequate or Inappropriate Services

Re-Traumatization

Engagement & Retention

Return to Use

Components of a Trauma-Informed Child Welfare System



Screening and
Assessment

Prioritizing
Secondary Trauma

Referral to
Evidence-Based
Treatment

Measurement-Driven
Case Planning

Workforce
Development

Cross-System
Collaboration

A person is shown from the waist up, wearing a white t-shirt and blue denim jeans. Their arms are raised in a celebratory gesture, with fists clenched. The background is a bright, hazy outdoor setting, possibly a field or park, with a soft glow suggesting a sunrise or sunset. The overall mood is one of triumph and achievement.

**Recovery
Is Possible!**

Doorway Recovery Videos

Permission to Use & Video Credit provided by
New Hampshire Department of Health and Human Services


[DJ's Story: You Can Change and Live the Life You Want](#)

Contact

Contact the NCSACW TTA Program

Connect with programs that are developing tools and implementing practices and protocols to support their collaborative

Training and technical assistance to support collaboration and systems change



National Center on Substance Abuse and Child Welfare



<https://ncsacw.acf.hhs.gov/>



ncsacw@cffutures.org



Toll-Free @ 1-866-493-2758

References

References, 1 of 5

- Baker, N. L., Buick, J. D., Kim, S. R., Moniz, S., & Nava, K. L. (2013). Lessons from examining same-sex intimate partner violence. *Sex Roles: A Journal of Research*, 69(3-4), 182–192 <https://doi.org/10.1007/s11199-012-0218-3>
- Basile K. C., Hertz, M. F., & Back, S. E. (2007). *Intimate partner violence and sexual violence victimization assessment instruments for use in healthcare settings: Version 1*. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. <https://www.cdc.gov/violenceprevention/pdf/ipv/ipvandsvscreening.pdf>
- Bell, A. (2021). *Mental health for all: Working across the spectrum*. Centre for Mental Health. <https://www.centreformentalhealth.org.uk/mental-health-all-working-across-spectrum/>
- Capacity Building Center for States. (2017). *Domestic violence and the child welfare professional: General practice tips*. Children's Bureau, Administration for Children and Families, U.S. Department of Health and Human Services. <https://capacity.childwelfare.gov/states/resources/domestic-violence-child-welfare-professional-general-practice>
- Center for Court Innovation. (2022). *Guiding principles for engagement and intervention with people who cause harm through intimate partner violence* [Fact sheet]. Futures Without Violence, Office on Violence Against Women, U.S. Department of Justice. https://www.innovatingjustice.org/sites/default/files/media/document/2022/CCI_Factsheet_DV_Guiding_Principles_IPV_04132022.pdf
- Centers for Disease Control and Prevention. (2022). *Preventing intimate partner violence*. U.S. Department of Health and Human Services. https://www.cdc.gov/violenceprevention/pdf/ipv/IPV-factsheet_2022.pdf
- Child Health and Development Institute. (2023). *Child trauma screen (CTS)*. <https://www.chdi.org/our-work/trauma-informed-initiatives/ct-trauma-screen-cts/>

References, 2 of 5

- Child Welfare Information Gateway. (2020). *The importance of a trauma-informed child welfare system*. U.S. Department of Health and Human Services, Administration for Children and Families, Children's Bureau. <https://www.childwelfare.gov/pubs/issue-briefs/trauma-informed/>
- Cunningham, A., & Baker, L. (2007). *Little eyes, little ears: How violence against a mother shapes children as they grow*. National Clearinghouse on Family Violence, Family Violence Prevention Unit, Public Health Agency of Canada. <https://www.socialworkerstoolbox.com/little-eyes-little-ears-how-violence-against-mother-shapes-children-as-they-grow-booklet>
- de Boynville, M. (2013). *Screening for domestic violence in health care settings* [Policy brief]. Office of the Assistant Secretary for Planning and Evaluation (ASPE), Office of Human Services Policy, U.S. Department of Health and Human Services. <https://aspe.hhs.gov/reports/screening-domestic-violence-health-care-settings-0>
- Domestic Abuse Intervention Programs. (2017). *Understanding the power and control wheel*. The Duluth Model. <https://www.theduluthmodel.org/wheels/>
- Duane, M., Ervin, S., Nembhard, S., Taylor, R., Bastomski, S., & Tiry, E. (2021). *Advancing a coordinated response to intimate partner violence: A systemwide assessment from Allegheny County, Pennsylvania*. Urban Institute. https://www.urban.org/sites/default/files/publication/104380/advancing-a-coordinated-response-to-intimate-partner-violence_0.pdf
- Evident Change. (2023). *To end disproportionality in child protection, here's where to look*. <https://evidentchange.org/blog/to-end-disproportionality-in-child-protection-heres-where-to-look/>
- Grossman, S., Cooper, Z., Buxton, H., Hendrickson, S., Lewis-O'Connor, A., Stevens, J., Wong, L. Y., & Bonne, S. (2021). Trauma-informed care: Recognizing and resisting re-traumatization in health care. *Trauma Surgery & Acute Care Open*, 6(1), e000815. <https://doi.org/10.1136/tsaco-2021-000815>

References, 3 of 5

- HeadStart ECLKC. (2024). *Domestic violence and child abuse reporting*. <https://eclkc.ohs.acf.hhs.gov/publication/domestic-violence-child-abuse-reporting>
- Hetzel-Riggin, M. D. (2022). *System response to intimate partner violence: Coordinated community response*. (Geffner, R., White, J. W., Hamberger, L. K., Rosenbaum, A., Vaughan-Eden, V., Vieth, V. I. Eds) *Handbook of Interpersonal Violence and Abuse Across the Lifespan*. Springer, Cham. https://doi.org/10.1007/978-3-319-89999-2_157
- Mandated Reporter Training. (2022). *Which states have mandatory domestic violence reporting?* <https://mandatedreportertraining.com/resources/blog/which-states-have-mandatory-domestic-violence-reporting/>
- Minnesota Department of Human Services. (2021). *Minnesota's best practice guide for the co-occurrence of child maltreatment and domestic violence*. <https://edocs.dhs.state.mn.us/lfserver/Public/DHS-3490-ENG>
- National Center on Substance Abuse and Child Welfare. (2022). *Disrupting stigma: How understanding, empathy, and connection can improve outcomes for families affected by substance use and mental disorders*. Administration for Children and Families, Substance Abuse and Mental Health Services Administration. <https://ncsacw.acf.hhs.gov/files/disrupting-stigma-brief.pdf>
- National Domestic Violence Hotline. (n.d.). *Abuse in immigrant communities*. <https://www.thehotline.org/resources/abuse-in-immigrant-communities/>
- The National Child Traumatic Stress Network. (n.d.-a). *Interventions*. <https://www.nctsn.org/what-is-child-trauma/trauma-types/intimate-partner-violence/interventions>
- The National Child Traumatic Stress Network. (n.d.-b). *Intimate partner violence*. <https://www.nctsn.org/what-is-child-trauma/trauma-types/intimate-partner-violence>

References, 4 of 5

- The National Child Traumatic Stress Network. (n.d.-c). *NCTSN Trauma-informed organizational assessment*. <https://www.nctsn.org/trauma-informed-care/nctsn-trauma-informed-organizational-assessment>
- Quality Improvement Center on Domestic Violence in Child Welfare. (2019). *Protective factors for survivors of domestic violence* [Issue brief]. Futures Without Violence. <https://promising.futureswithoutviolence.org/wp-content/uploads/2022/07/FWV-QIC-Protective-Factors-Brief-Final-09-1.pdf>
- Stephan, R. S., Grasso, C., Koenig, K., McDonald, E., & Wooten, W. (2021). *San Diego County healthcare standards for intimate partner violence: Evidence-informed guidelines for healthcare personnel on intimate partner violence and abuse screening and response practices*. Healthcare Committee of the San Diego Domestic Violence Council. <https://www.sdcdca.org/content/helping/IPV%20Healthcare%20Standards%202021%20Final%20Oct%202021.pdf>
- Substance Abuse and Mental Health Services Administration. (2009). *Integrated treatment for co-occurring disorders: Building your program*. DHHS Publication No. SMA-08-4366. U.S. Department of Health and Human Services. <https://store.samhsa.gov/sites/default/files/d7/priv/ebp-kit-building-your-program-10112019.pdf>
- Substance Abuse and Mental Health Services Administration. (2022). *Co-occurring disorders: Diagnoses and integrated treatments*. U.S. Department of Health and Human Services. <https://www.samhsa.gov/co-occurring-disorders>
- Substance Abuse and Mental Health Services Administration. (2023a). *Co-occurring disorders and other health conditions*. U.S. Department of Health and Human Services. <https://www.samhsa.gov/medications-substance-use-disorders/medications-counseling-related-conditions/co-occurring-disorders>

References, 5 of 5

- Substance Abuse and Mental Health Services Administration. (2023b). *Key substance use and mental health indicators in the United States: Results from the 2022 national survey on drug use and health (NSDUH)*. HHS Publication No. PEP23-07-01-006, NSDUH Series H-58. U.S. Department of Health and Human Services. <https://www.samhsa.gov/data/report/2022-nsduh-annual-national-report>
- UCLA Pritzker Center. (2021). *Child welfare and domestic violence: The report on intersection and action*. https://pritzkercenter.ucla.edu/wp-content/uploads/2021/05/Pritzker-Domestic-Violence-Report-Endnotes_final.pdf
- Warshaw, C., & Tinnon, E. (2018). *Coercion related to mental health and substance use in the context of intimate partner violence: A toolkit for screening, assessment, and brief counseling in primary care and behavioral health settings*. National Center on Domestic Violence, Trauma & Mental Health. http://www.nationalcenterdvtraumamh.org/wp-content/uploads/2018/03/NCDVTMH_MHSUCoercionToolkit2018.pdf

Resources

Resources, 1 of 2

- Capacity Building Center for States: [*Domestic Violence and the Child Welfare Professional: General Practice Tips*](#) (2017)
- Casey Family Programs: [*Supportive Communities: How are child protection agencies implementing trauma-informed, healing-centered policies and practices?*](#) (2023)
- [Child Welfare Information Gateway: State Statutes Search](#) (n.d.)
- Domestic Abuse Intervention Programs: [*The Duluth Model Wheel Library*](#) (2017)
- [National Center on Domestic Violence, Trauma & Mental Health Website](#) (2023)
- [National Domestic Violence Hotline](#) (n.d.)
- [National Resource Center on Domestic Violence Website](#) (2021)
- [Promising Futures Website](#) (2024)
- Quality Improvement Center on Domestic Violence in Child Welfare: [*Adult & Child Survivor-Centered Approach for Addressing Domestic Violence*](#) (2019)
- Quality Improvement Center on Domestic Violence in Child Welfare: [*Protective Factors for Survivors of Domestic Violence*](#) (2019)
- [Strong Hearts Native Helpline](#) (2024)
- Substance Abuse and Mental Health Services Administration: [*SAMHSA's Concept of Trauma and Guidance for a Trauma-Informed Approach*](#) (2014)

Resources, 2 of 2

- Substance Abuse and Mental Health Services Administration: [Treatment Improvement Protocol \(TIP\) 42: Substance Use Treatment for Persons With Co-Occurring Disorders](#) (2020)
- [Title IV-E Prevention Services Clearinghouse Website](#) (2023)
- Ward, A., Barry, K., Laliberte, T., & Meyer-Kalos, P.: [Supporting Recovery in Parents with Co-Occurring Disorders in Child Welfare. No. 26](#) (2016)